

# Addingham Environment Group

## Bird Report 2022

Report compiled by: Chris Acomb

Thank you to all of you who sent me sightings and contributed to these records ([Appendix 1](#)). We had an excellent year with 3489 reports and 92 different species recorded in and around Addingham. (see graph) This is more species than in 2021 when we had 88 different species reported. The full list of species reported during 2022 can be seen in [Appendix 2](#). Thanks also to Jan Hindle and Rick Battarbee for their very helpful suggestions and editing of this report.




Photo: Goldcrest in an Addingham garden (Acomb)

## Contents and hyperlinks

|  |                                       |         |
|--|---------------------------------------|---------|
| <a href="#">Species New to Addingham,</a>  | <a href="#">Not reported in 2022,</a> | Page 2  |
| <a href="#">Red List</a>   |                                       | Page 4  |
| Locations:   |                                       |         |
| <a href="#">Garden birds</a>   |                                       | Page 5  |
| <a href="#">River Wharfe</a>   |                                       | Page 6  |
| <a href="#">Becks</a>  |                                       | Page 7  |
| <a href="#">Former First School site</a>   |                                       | Page 8  |
| <a href="#">South Field and surrounding fields</a>   |                                       | Page 8  |
| <a href="#">Transects</a>  |                                       | Page 9  |
| <a href="#">Specific birds</a>   |                                       |         |
| Little egret, Grey heron, Kingfisher, Mandarin duck,<br>Barn owl, Tawny owl, Little owl, Goldcrest, Bullfinch,<br>Kestrel, Sparrowhawk, Curlew |                                       | Page 14 |
| <a href="#">Appendix 1: List of contributors</a>   |                                       | Page 15 |
| <a href="#">Appendix 2: Full list of species reported 2022</a>   |                                       | Page 16 |



Fieldfare in Addingham garden (Austin)

## New to Addingham

We had 12 species reported for the first time;

| Species             |                             | Date 1 <sup>st</sup> reported | Location                  |
|---------------------|-----------------------------|-------------------------------|---------------------------|
| Bar-headed goose    | Anser indicus               | 09/10/2022                    | Chelker Reservoir         |
| Bewick's swan       | Cygnus columbianus bewickii | 27/02/2022                    | Chelker Reservoir         |
| Black swan          | Cygnus atratus              | 11/09/2022                    | Chelker Reservoir         |
| Black-tailed godwit | Limosa limosa               | 11/03/2022                    | Chelker Reservoir         |
| Canada goose        | Branta canadensis           | 12/01/2022                    | High Laithe / Golf course |
| Coot                | Fulica atra                 | 15/08/2022                    | Chelker Reservoir         |
| Dunlin              | Calidris alpina             | 11/03/2022                    | Chelker Reservoir         |
| Goldeneye           | Bucephala clangula          | 11/12/2022                    | Chelker Reservoir         |
| Osprey              | Pandion haliaetus           | 08/04/2022                    | Chelker Reservoir         |
| Redshank            | Tringa totanus              | 03/07/2022                    | Addingham Moorside        |
| Shoveler            | Anas clypeata               | 11/03/2022                    | Chelker Reservoir         |
| Whooper swan        | Cygnus cygnus               | 11/03/2022                    | Chelker Reservoir         |

There were repeated sightings of the Coots during the year.

As you can see most of the “New to Addingham” were seen at Chelker Reservoir which is technically outside the parish boundary for Addingham. Similarly we have previously had sightings reported from above the Moorside (eg Black Hill and Doubler stones) which are also just outside the boundary. In future we are considering having separate reports eg “Within parish boundary” and “Surrounding areas”. Let us know if you have a view.

## Not reported in 2022

We also had 15 species not reported in 2022 that had been reported in previous years (Table 2)

| Species            |                          | Year last reported | Location(s)                                    |
|--------------------|--------------------------|--------------------|--|
| Brambling          | Fringilla montifringilla | 2021               | Multiple: Garden, Marchup Ghyll                |
| Golden plover      | Pluvialis apricaria      | 2021               | Addingham Low Moor                             |
| Green sandpiper    | Tringa ochropus          | 2021               | R Wharfe near Old Lane                         |
| Green woodpecker   | Picus viridis            | 2020               | R Wharfe (upstream from Olicana)               |
| Grey partridge     | Perdix perdix            | 2019               | Near Lob Wood House / Farfield Meeting House   |
| Hen harrier        | Circus cyaneus           | 2021               | Circling over Main St                          |
| Little Grebe       | Tachybaptus ruficollis   | 2021               | Multiple: Chelker Res, R Wharfe nr susp bridge |
| Red grouse         | Lagopus lagopus          | 2021               | Addingham High Moor                            |
| Reed bunting       | Emberiza schoeniclus     | 2020               | Addingham Low Moor                             |
| Short-eared owl    | Asio flammeus            | 2021               | Bypass / South Field                           |
| Snipe              | Gallinago gallinago      | 2017               | Addingham Low Moor                             |
| Snow bunting       | Plectrophenax nivalis    | 2019               | Hag Head Laithe                                |
| Spotted flycatcher | Muscicapa striata        | 2020               | Steg Holes, Addingham Moorside                 |
| Stonechat          | Saxicola torquata        | 2017               | Addingham Low Moor                             |
| Wheatear           | Oenanthe oenanthe        | 2021               | West end of Parsons Lane                       |

[LINK to Contents Page](#)

## Red List

In 2021 the UK updated its Red List of birds (this is the list of birds in the highest category in the Birds of Conservation Concern 5 - as reported to the government by the Joint Nature Conservation Committee). In 2022 we had reported 18 species from the red list. (Table 3)

| Table 3: RED LIST birds reported in and around Addingham 2022 |                                    |                                  |
|---|------------------------------------|----------------------------------|
| No. of red list birds seen in Addingham                       | 18                                 | 26%                              |
| No. birds on UK red list                                      | 68                                 |                                  |
| <i>Species (Common Name)</i>                                  | <i>Species (Latin Name)</i>        | <i>No. of reported sightings</i> |
| Bewick's swan   | <i>Cygnus columbianus bewickii</i> | 1                                |
| Black-tailed godwit   | <i>Limosa limosa</i>               | 1                                |
| Cuckoo  | <i>Cuculus canorus</i>             | 2                                |
| Curlew  | <i>Numenius arquata</i>            | 39                               |
| Dunlin  | <i>Calidris alpina</i>             | 1                                |
| Fieldfare   | <i>Turdus pilaris</i>              | 8                                |
| Goldeneye   | <i>Bucephala clangula</i>          | 1                                |
| Greenfinch  | <i>Carduelis chloris</i>           | 74                               |
| Herring gull  | <i>Larus argentatus</i>            | 2                                |
| House martin  | <i>Turdus merula</i>               | 39                               |
| House sparrow   | <i>Passer domesticus</i>           | 108                              |
| Lapwing   | <i>Vanellus vanellus</i>           | 12                               |
| Linnet  | <i>Linaria cannabina</i>           | 1                                |
| Mistle thrush   | <i>Turdus viscivorus</i>           | 8                                |
| Skylark   | <i>Alauda arvensis</i>             | 1                                |
| Starling  | <i>Sturnus vulgaris</i>            | 65                               |
| Swift   | <i>Apus apus</i>                   | 31                               |
| Tree sparrow  | <i>Passer Montanus</i>             | 21                               |



Photo: Greenfinch in Addingham garden (Acomb)

[LINK to Contents Page](#)

### Garden Birds

We had reports of birds from 18 gardens (Table 4). Robin and Blue tit were reported from the most gardens. We also had a number of reports of birds not typically associated with gardens: Sparrowhawk (6 gardens) and Great spotted woodpecker (6 gardens). Several reporters send in monthly reports which allows us to see trends across the year. The Fieldfares seen in 3 gardens were all reported from members who send in monthly reports and all 3 sightings were in December, when the weather was particularly cold and the birds were hungry. Similarly the Redwings were only seen in gardens in December. Siskins on the other hand were reported during the breeding season (Table 5).



Photo: Sparrowhawk in an Addingham garden (Austin)

| <b>Table 4: Garden Birds 2022</b> |                |                          |                     |    |
|-----------------------------------|----------------|--------------------------|---------------------|----|
| Number of gardens                 |                | 18                       | Total No of species | 43 |
| Species                           | No. of gardens | Species                  | No. of gardens      |    |
| Blue tit                          | 14             | Nuthatch                 | 6                   |    |
| Robin                             | 14             | Siskin                   | 6                   |    |
| Blackbird                         | 13             | Carrion crow             | 5                   |    |
| Magpie                            | 12             | Goldcrest                | 5                   |    |
| Woodpigeon                        | 12             | Great spotted woodpecker | 5                   |    |
| Dunnock                           | 11             | Song thrush              | 5                   |    |
| Great tit                         | 11             | Sparrowhawk              | 5                   |    |
| House sparrow                     | 11             | Feral Pigeon             | 4                   |    |
| Starling                          | 11             | Lesser redpoll           | 4                   |    |
| Jackdaw                           | 10             | Rook                     | 3                   |    |
| Chaffinch                         | 9              | Black-headed gull        | 2                   |    |
| Coal tit                          | 9              | Chiffchaff               | 2                   |    |
| Collared dove                     | 9              | House martin             | 2                   |    |
| Wren                              | 9              | Tree sparrow             | 2                   |    |
| Bullfinch                         | 8              | Barn owl                 | 1                   |    |
| Goldfinch                         | 8              | Mistle thrush            | 1                   |    |
| Long-tailed tit                   | 7              | Stock dove               | 1                   |    |
| Greenfinch                        | 6              | Willow warbler           | 1                   |    |

| <b>Table 5: Months when Siskins were seen in gardens - from 4 regular reporters (A,B,C,D)</b> |     |     |     |     |     |     |     |     |     |     |     |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|   |     | C   | C   | D   | C   |     |     |     |     |     |     |
|   |     | B   | B   | C   | B   |     |     |     |     |     |     |
|   |     | A   | A   | A   | A   |     |     |     |     |     |     |
| Jan   | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |

[LINK to Contents Page](#)

## River Wharfe

The river and its banks provide a good habitat for a wide range of wildlife and a large number of birds can be seen there. Some are obviously reliant on the water (eg Dipper, Kingfisher) others just seem to enjoy the environment. We have a loose category of what constitutes 'The River Wharfe' – anything within approximately 25 metres. We have records of 54 species from 19 locations (locations are different 6 figure grid references, so approximately 100 metres apart along the river) All reports are from the river within the parish boundary (~ Near Paradise Laithe to Sandbeds / Old Lane).

| Species                  | No. of Locations along river |
|--------------------------|------------------------------|
| Blackbird                | 6                            |
| Black-headed gull        | 5                            |
| Blue tit                 | 4                            |
| Bullfinch                | 1                            |
| Buzzard                  | 2                            |
| Carrion crow             | 4                            |
| Chaffinch                | 2                            |
| Chiffchaff               | 3                            |
| Collared dove            | 2                            |
| Common gull              | 1                            |
| Common sandpiper         | 1                            |
| Cormorant                | 5                            |
| Curlew                   | 3                            |
| Dipper                   | 4                            |
| Dunnock                  | 1                            |
| Fieldfare                | 1                            |
| Goldcrest                | 1                            |
| Goldfinch                | 2                            |
| Goosander                | 7                            |
| Great spotted woodpecker | 1                            |
| Great tit                | 2                            |
| Grey heron               | 5                            |
| Grey wagtail             | 6                            |
| Greylag goose            | 1                            |
| Herring gull             | 1                            |
| House martin             | 2                            |
| Jackdaw                  | 3                            |
| Jay                      | 2                            |
| Kingfisher               | 7                            |
| Lesser black-backed gull | 2                            |
| Little egret             | 7                            |
| Long-tailed tit          | 3                            |

| Species       | No. of Locations along river |
|---------------|------------------------------|
| Magpie        | 4                            |
| Mallard       | 8                            |
| Mandarin duck | 7                            |
| Moorhen       | 3                            |
| Mute swan     | 2                            |
| Nuthatch      | 2                            |
| Oystercatcher | 4                            |
| Pheasant      | 1                            |
| Pied wagtail  | 4                            |
| Red kite      | 2                            |
| Robin         | 5                            |
| Rook          | 1                            |
| Sand martin   | 2                            |
| Siskin        | 1                            |
| Song thrush   | 2                            |
| Swallow       | 1                            |
| Swift         | 2                            |
| Tawny owl     | 1                            |
| Treecreeper   | 2                            |
| Tree sparrow  | 2                            |
| Woodpigeon    | 4                            |
| Wren          | 2                            |

Photo: Oystercatcher River Wharfe (Austin)

[LINK to Contents Page](#)



## Becks

Historically the becks added to the wealth and development of Addingham; now they provide a great haven for our wildlife. We had 35 species reported from the becks in the village, with the Saw Mill pond have the largest range of species.

**Table 7: Birds reported from the Addingham Becks**

| Marchup Beck    | Town Beck               |                              | Back Beck       | Saw Mill Pond   |
|-----------------|-------------------------|------------------------------|-----------------|-----------------|
|                 | ... up to Saw Mill pond | Saw Mill pond to Low Mill Ln |                 |                 |
| Blackbird       | Blackbird               | Carrion crow                 | Blackbird       | Blackbird       |
| Blackcap        | Dipper                  | Kingfisher                   | Blue tit        | Blue tit        |
| Blue tit        | Grey wagtail            | Little egret                 | Carrion crow    | Carrion crow    |
| Carrion crow    | Jackdaw                 | Magpie                       | Chiffchaff      | Chaffinch       |
| Chaffinch       | Magpie                  | Mallard                      | Great tit       | Chiffchaff      |
| Chiffchaff      | Moorhen                 | Moorhen                      | Grey wagtail    | Coal tit        |
| Coal tit        | Swallow                 | Robin                        | Jackdaw         | Dunnock         |
| Dipper          | Woodpigeon              | Teal                         | Long-tailed tit | Great tit       |
| Great tit       | Wren                    | Wren                         | Magpie          | House sparrow   |
| Greenfinch      |                         |                              | Mistle thrush   | Jackdaw         |
| House sparrow   |                         |                              | Robin           | Long-tailed tit |
| Jackdaw         |                         |                              | Song thrush     | Magpie          |
| Long-tailed tit |                         |                              | Swift           | Mallard         |
| Magpie          |                         |                              | Woodpigeon      | Moorhen         |
| Mallard         |                         |                              |                 | Nuthatch        |
| Robin           |                         |                              |                 | Redwing         |
| Rook            |                         |                              |                 | Robin           |
| Song thrush     |                         |                              |                 | Rook            |
| Sparrowhawk     |                         |                              |                 | Song thrush     |
| Starling        |                         |                              |                 | Tree sparrow    |
| Woodpigeon      |                         |                              |                 | Tufted duck     |
| Wren            |                         |                              |                 | Woodpigeon      |
|                 |                         |                              |                 | Wren            |

Photo: Nuthatch in nesting hole (Acomb)



[LINK to Contents Page](#)

### Species reported from Former First School site

This potential housing development site has been re-wilding itself for a number of years now and is a wildlife haven. The list in Table 8 includes birds reported from the actual site by Anne Clarke and also the immediate surrounding area: Including the path and the beck to the west of the site, and the start of Long Riddings Lane to the east.

| Table 8: Species reported from former First School site, adjacent beck & lane |                 |             |
|---|-----------------|-------------|
| Barn owl  | Feral pigeon    | Robin       |
| Blackbird   | Goldcrest       | Siskin      |
| Blackcap  | Goldfinch       | Song thrush |
| Blue tit  | Great tit       | Starling    |
| Bullfinch   | House sparrow   | Tawny owl   |
| Carrion crow  | Jackdaw         | Woodpigeon  |
| Chaffinch   | Lesser red poll | Wren        |
| Chiffchaff  | Long tailed tit |             |
| Coal tit  | Magpie          |             |
| Collared dove   | Nuthatch        |             |
| Dunnock   | Pheasant        |             |

### Species reported from South Field area

This potential housing development site has been the home to a Barn owl for several years (in the old Ash tree in Newlands field). The list in Table 9 includes: South Field, Brogden Meadow, Great Meadow, Newlands Field and Hollow Lane (ie fields behind The Lord Addingham & up to the bypass)

| Table 9: Species reported from South Field area |                 |             |
|---|-----------------|-------------|
| Barn owl  | Great tit       | Robin       |
| Blackbird                                       | House martin    | Song thrush |
| Blue tit  | House sparrow   | Starling    |
| Carrion crow                                    | Jackdaw         | Swallow     |
| Chaffinch                                       | Long tailed tit | Swift       |
| Curlew  | Magpie          | Woodpigeon  |
| Dunnock   | Nuthatch        | Wren        |
| Fieldfare                                       | Red kite        |             |
| Goldfinch                                       | Redwing         |             |

[LINK to Contents Page](#)



## Bird Transects

A number of Environment Group members regularly (once a month) walk a transect route. They walk gently along the same route recording every species they see (or hear) within approximately 25 metres of the path taken. We make every attempt not to double count birds that move from one location to another. Many thanks to all those who contribute.

### Transect 1 (Saw Mill Lane, Saw Mill pond, front of school, path around school, Bridge 55, Sugar Hill)

2022 was our second full year of monthly Transect 1 walks. We recorded 34 species this year compared with 39 in 2021. August and October were the quietest months in both years. Many thanks to Lesley Loughlin, David and Ann Austin, Malcolm Secrett and Pam Wells who regularly contributed to this transect.

|                       | Jan       | Feb       | Mar       | Apr       | May       | Jun       | Jul       | Aug       | Sep       | Oct      | Nov       | Dec       | No. of months |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|---------------|
| Blackbird             | 10        | 9         | 9         | 6         | 16        | 13        | 6         | 7         | 1         | 0        | 3         | 8         | 11            |
| Black-headed gull     | 0         | 0         | 0         | 0         | 0         | 1         | 0         | 0         | 0         | 0        | 1         | 0         | 2             |
| Blue tit              | 6         | 5         | 13        | 7         | 6         | 0         | 1         | 1         | 4         | 3        | 2         | 8         | 11            |
| Bullfinch             | 0         | 1         | 1         | 0         | 0         | 0         | 1         | 0         | 0         | 0        | 0         | 0         | 3             |
| Carrion crow          | 3         | 0         | 4         | 7         | 1         | 3         | 0         | 0         | 1         | 4        | 5         | 5         | 9             |
| Chaffinch             | 2         | 3         | 2         | 3         | 0         | 1         | 0         | 0         | 0         | 0        | 0         | 0         | 5             |
| Chiffchaff            | 0         | 0         | 0         | 2         | 0         | 0         | 1         | 0         | 0         | 0        | 0         | 0         | 2             |
| Coal tit              | 0         | 0         | 1         | 0         | 0         | 1         | 0         | 0         | 0         | 1        | 0         | 0         | 3             |
| Collared dove         | 0         | 0         | 2         | 1         | 0         | 2         | 0         | 0         | 0         | 0        | 0         | 0         | 3             |
| Dunnock               | 3         | 1         | 5         | 1         | 3         | 1         | 0         | 0         | 0         | 0        | 0         | 0         | 6             |
| Goldcrest             | 2         | 0         | 0         | 0         | 0         | 2         | 0         | 0         | 2         | 0        | 0         | 0         | 3             |
| Goldfinch             | 0         | 0         | 0         | 0         | 2         | 0         | 0         | 0         | 0         | 0        | 0         | 3         | 2             |
| Great tit             | 4         | 1         | 2         | 4         | 1         | 2         | 0         | 0         | 3         | 0        | 3         | 2         | 9             |
| Greenfinch            | 0         | 0         | 0         | 1         | 0         | 0         | 0         | 0         | 4         | 0        | 0         | 0         | 2             |
| Grey wagtail          | 0         | 0         | 0         | 2         | 0         | 0         | 0         | 0         | 0         | 0        | 0         | 0         | 1             |
| House martin          | 0         | 0         | 0         | 0         | 0         | 2         | 3         | 0         | 0         | 0        | 0         | 0         | 2             |
| House sparrow         | 0         | 1         | 3         | 2         | 2         | 7         | 0         | 0         | 0         | 0        | 0         | 0         | 5             |
| Jackdaw               | 9         | 3         | 14        | 2         | 6         | 2         | 11        | 10        | 10        | 8        | 0         | 1         | 11            |
| Long-tailed tit       | 1         | 4         | 4         | 5         | 1         | 4         | 1         | 3         | 0         | 0        | 2         | 2         | 10            |
| Magpie                | 4         | 1         | 6         | 1         | 1         | 5         | 1         | 3         | 3         | 0        | 3         | 5         | 11            |
| Mallard               | 20        | 12        | 22        | 12        | 11        | 18        | 17        | 22        | 20        | 18       | 18        | 12        | 12            |
| Moorhen               | 2         | 3         | 0         | 1         | 2         | 1         | 2         | 1         | 2         | 0        | 1         | 3         | 10            |
| Nuthatch              | 0         | 1         | 0         | 0         | 0         | 2         | 0         | 0         | 0         | 0        | 0         | 0         | 2             |
| Redwing               | 1         | 0         | 0         | 0         | 0         | 0         | 0         | 0         | 0         | 0        | 0         | 0         | 1             |
| Robin                 | 4         | 2         | 6         | 4         | 3         | 5         | 1         | 4         | 8         | 1        | 1         | 4         | 12            |
| Rook                  | 0         | 0         | 0         | 0         | 1         | 0         | 0         | 0         | 0         | 0        | 0         | 0         | 1             |
| Song thrush           | 0         | 1         | 2         | 1         | 3         | 1         | 1         | 1         | 0         | 0        | 0         | 0         | 7             |
| Starling              | 0         | 0         | 0         | 0         | 0         | 0         | 0         | 0         | 0         | 0        | 0         | 6         | 1             |
| Swallow               | 0         | 0         | 0         | 0         | 2         | 0         | 1         | 0         | 0         | 0        | 0         | 0         | 2             |
| Swift                 | 0         | 0         | 0         | 0         | 0         | 1         | 0         | 0         | 0         | 0        | 0         | 0         | 1             |
| Treecreeper           | 1         | 0         | 0         | 2         | 0         | 0         | 0         | 0         | 0         | 0        | 0         | 0         | 2             |
| Tree sparrow          | 0         | 1         | 0         | 2         | 0         | 2         | 0         | 0         | 0         | 0        | 1         | 5         | 5             |
| Woodpigeon            | 9         | 2         | 8         | 7         | 13        | 10        | 7         | 6         | 4         | 0        | 7         | 5         | 11            |
| Wren                  | 2         | 1         | 2         | 1         | 3         | 6         | 0         | 0         | 0         | 2        | 0         | 2         | 8             |
| <b>No. of species</b> | <b>17</b> | <b>18</b> | <b>18</b> | <b>22</b> | <b>18</b> | <b>23</b> | <b>14</b> | <b>10</b> | <b>12</b> | <b>7</b> | <b>12</b> | <b>15</b> |               |

## Transect 2 (Great Meadow, Hollow Lane, South Field)

Peter Miller has been walking Transect 2 since March 2021. The Barn owl in Newlands field showed itself on 3 occasions and Swallows and Swifts were seen in the summer months.

|                 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | No. of months |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|
| Barn owl        | 0   | 0   | 1   | 1   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 3             |
| Blackbird       | 4   | 0   | 2   | 2   | 3   | 4   | 0   | 0   | 0   | 1   | 0   | 7   | 7             |
| Blue tit        | 5   | 2   | 2   | 2   | 1   | 7   | 1   | 0   | 0   | 1   | 4   | 8   | 10            |
| Carrion crow    | 7   | 4   | 5   | 5   | 3   | 2   | 2   | 5   | 4   | 27  | 9   | 15  | 12            |
| Chaffinch       | 0   | 0   | 1   | 2   | 0   | 0   | 2   | 2   | 0   | 0   | 0   | 3   | 5             |
| Dunnock         | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 1             |
| Fieldfare       | 16  | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Goldfinch       | 0   | 0   | 0   | 0   | 4   | 0   | 5   | 0   | 2   | 2   | 10  | 0   | 5             |
| Great tit       | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2   | 2             |
| Greenfinch      | 0   | 0   | 0   | 0   | 0   | 3   | 0   | 2   | 0   | 0   | 2   | 0   | 3             |
| House sparrow   | 0   | 0   | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 1             |
| Jackdaw         | 2   | 2   | 5   | 9   | 5   | 2   | 0   | 2   | 30  | 2   | 0   | 0   | 9             |
| Long-tailed tit | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 1             |
| Magpie          | 3   | 3   | 3   | 1   | 2   | 2   | 1   | 7   | 1   | 2   | 1   | 3   | 12            |
| Red kite        | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 1             |
| Robin           | 2   | 0   | 1   | 2   | 1   | 3   | 1   | 0   | 0   | 2   | 0   | 0   | 7             |
| Song thrush     | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 1             |
| Starling        | 0   | 0   | 0   | 8   | 4   | 0   | 0   | 0   | 0   | 0   | 0   | 4   | 3             |
| Swallow         | 0   | 0   | 0   | 0   | 2   | 2   | 2   | 4   | 0   | 0   | 0   | 0   | 4             |
| Swift           | 0   | 0   | 0   | 0   | 4   | 2   | 4   | 0   | 0   | 0   | 0   | 0   | 3             |
| Woodpigeon      | 5   | 3   | 1   | 0   | 0   | 3   | 2   | 5   | 2   | 2   | 0   | 2   | 9             |
| Wren            | 0   | 0   | 1   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| No. of species  | 8   | 5   | 11  | 9   | 10  | 12  | 10  | 7   | 6   | 8   | 5   | 11  |               |

[LINK to Contents Page](#)

Transect 3 (Catsteps) is not currently being walked.

Transect 4 (Former first school site) – see Table 8

### Transect 5 (Daniel Palmer Nature Reserve, path by allotments to stepping stones, Marchup Ghyll)

Between them, James Ross and David & Anne Austin completed a year of recording. This transect had the largest range of species over the year, with 35 recorded. The beck and the trees providing a great habitat. Goldcrest and Blackcap being present over several months.

|                 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | No. of months |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|
| Blackbird       | 9   | 10  | 1   | 8   | 4   | 8   | 6   | 1   | 1   | 1   | 7   | 8   | 12            |
| Blackcap        | 0   | 0   | 0   | 0   | 1   | 2   | 0   | 0   | 1   | 0   | 0   | 0   | 3             |
| Blue tit        | 15  | 5   | 8   | 9   | 2   | 4   | 6   | 4   | 6   | 4   | 6   | 14  | 12            |
| Bullfinch       | 0   | 1   | 0   | 0   | 1   | 0   | 3   | 2   | 1   | 0   | 0   | 3   | 6             |
| Buzzard         | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Carrion crow    | 0   | 0   | 1   | 4   | 0   | 3   | 1   | 1   | 0   | 2   | 0   | 0   | 6             |
| Chaffinch       | 2   | 9   | 0   | 14  | 2   | 3   | 0   | 0   | 4   | 0   | 1   | 4   | 8             |
| Chiffchaff      | 0   | 0   | 0   | 4   | 3   | 6   | 6   | 0   | 1   | 0   | 0   | 0   | 5             |
| Coal tit        | 1   | 0   | 2   | 2   | 0   | 1   | 0   | 1   | 1   | 0   | 1   | 3   | 8             |
| Collared dove   | 0   | 0   | 0   | 0   | 1   | 11  | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| Dunnock         | 1   | 1   | 1   | 4   | 4   | 1   | 2   | 0   | 0   | 0   | 0   | 1   | 8             |
| Goldcrest       | 1   | 1   | 2   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2   | 5             |
| Goldfinch       | 0   | 2   | 0   | 0   | 2   | 1   | 2   | 1   | 1   | 0   | 1   | 1   | 8             |
| Great tit       | 1   | 2   | 2   | 5   | 1   | 2   | 1   | 1   | 1   | 0   | 0   | 4   | 10            |
| Greenfinch      | 0   | 0   | 0   | 0   | 0   | 1   | 3   | 0   | 0   | 0   | 0   | 0   | 2             |
| House martin    | 0   | 0   | 0   | 0   | 0   | 1   | 1   | 0   | 2   | 0   | 0   | 0   | 3             |
| House sparrow   | 0   | 0   | 0   | 6   | 0   | 1   | 1   | 0   | 5   | 5   | 1   | 0   | 6             |
| Jackdaw         | 0   | 0   | 0   | 0   | 0   | 1   | 4   | 0   | 1   | 1   | 0   | 9   | 5             |
| Long-tailed tit | 0   | 0   | 3   | 4   | 1   | 1   | 2   | 0   | 2   | 2   | 1   | 0   | 8             |
| Magpie          | 0   | 2   | 1   | 2   | 1   | 4   | 5   | 1   | 4   | 7   | 2   | 1   | 11            |
| Mallard         | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Nuthatch        | 0   | 0   | 0   | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 1   | 0   | 3             |
| Pied wagtail    | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 1             |
| Red kite        | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 1             |
| Robin           | 4   | 1   | 1   | 3   | 3   | 4   | 4   | 0   | 5   | 2   | 0   | 5   | 10            |
| Rook            | 0   | 0   | 0   | 0   | 1   | 4   | 0   | 0   | 0   | 1   | 0   | 0   | 3             |
| Siskin          | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Song thrush     | 0   | 0   | 1   | 2   | 1   | 4   | 0   | 1   | 0   | 0   | 0   | 0   | 5             |
| Sparrowhawk     | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 1   | 1   | 0   | 3             |
| Starling        | 0   | 0   | 0   | 1   | 1   | 6   | 0   | 0   | 2   | 0   | 0   | 0   | 4             |
| Swallow         | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 2             |
| Swift           | 0   | 0   | 0   | 0   | 0   | 1   | 1   | 0   | 0   | 0   | 0   | 0   | 2             |
| Treecreeper     | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 2             |
| Woodpigeon      | 7   | 16  | 3   | 7   | 6   | 7   | 2   | 2   | 3   | 4   | 0   | 4   | 11            |
| Wren            | 0   | 0   | 1   | 2   | 2   | 5   | 3   | 0   | 1   | 2   | 0   | 2   | 8             |
| No. of species  | 9   | 12  | 13  | 19  | 21  | 24  | 19  | 11  | 21  | 13  | 10  | 14  |               |

[LINK to Contents Page](#)

### Transect 6 (Long Riddings, High Laithe, across Golf Course to School Lane)

Ian Benson has been recording the birds along this transect. It shows that in a short walk you can see birds in hedges and trees (Chiffchaff, Nuthatch, Treecreeper), as well as birds in open fields (Curlew, Redwing, Swallows & Swifts).

| Table 13: Number of birds recorded along Transect 6 (Long Riddings, High Laithe ) |     |     |     |     |     |     |     |     |     |     |     |     |               |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|
|   | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | No. of months |
| Blackbird   | 17  | 14  | 5   | 15  | 5   | 8   | 1   | 2   | 0   | 0   | 5   | 4   | 10            |
| Black-headed gull   | 0   | 0   | 7   | 0   | 0   | 0   | 0   | 1   | 1   | 0   | 5   | 5   | 5             |
| Blackcap  | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Blue tit  | 28  | 21  | 2   | 10  | 1   | 2   | 1   | 3   | 5   | 0   | 2   | 7   | 11            |
| Bullfinch   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Buzzard   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 1             |
| Canada goose  | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Carrion crow  | 0   | 0   | 1   | 3   | 2   | 1   | 2   | 4   | 5   | 4   | 2   | 8   | 10            |
| Chaffinch   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Chiffchaff  | 0   | 0   | 0   | 0   | 2   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| Coal tit  | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 1   | 0   | 1   | 4             |
| Collared dove   | 0   | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 3   | 0   | 0   | 2             |
| Curlew  | 0   | 0   | 1   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| Dunnock   | 0   | 1   | 0   | 1   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 3             |
| Great tit   | 1   | 7   | 2   | 3   | 2   | 0   | 0   | 0   | 5   | 1   | 1   | 0   | 8             |
| House sparrow   | 2   | 4   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 4             |
| Jackdaw   | 4   | 8   | 12  | 7   | 0   | 5   | 1   | 4   | 1   | 17  | 6   | 0   | 10            |
| Kestrel   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Long-tailed tit   | 1   | 1   | 3   | 1   | 0   | 0   | 0   | 0   | 5   | 0   | 0   | 0   | 5             |
| Magpie  | 1   | 4   | 3   | 1   | 1   | 0   | 3   | 2   | 4   | 1   | 3   | 1   | 11            |
| Nuthatch  | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 3             |
| Pied wagtail  | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Red kite  | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 1             |
| Redwing   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2   | 0   | 1             |
| Robin   | 1   | 3   | 0   | 3   | 0   | 1   | 0   | 2   | 0   | 2   | 0   | 4   | 7             |
| Rook  | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 5   | 0   | 0   | 0   | 1             |
| Song thrush   | 0   | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| Starling  | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2             |
| Swallow   | 0   | 0   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   | 0   | 0   | 1             |
| Swift   | 0   | 0   | 0   | 0   | 0   | 0   | 3   | 0   | 0   | 0   | 0   | 0   | 1             |
| Treecreeper   | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   | 0   | 0   | 0   | 1             |
| Woodpigeon  | 2   | 0   | 3   | 5   | 8   | 0   | 0   | 2   | 2   | 2   | 0   | 0   | 7             |
| Wren  | 1   | 2   | 0   | 1   | 0   | 1   | 0   | 1   | 0   | 1   | 1   | 1   | 8             |
| No. of species  | 11  | 14  | 13  | 15  | 10  | 10  | 7   | 11  | 9   | 11  | 9   | 9   |               |

[LINK to Contents Page](#)

### Transect 7 (Hollow Lane, South Field, The Street)

Anne Hodgson and Val Clayton regularly walk this transect. It demonstrates how sometimes the seasons affect what you see: Chiffchaffs in spring and, Fieldfares and Redwings in winter.

|                 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |  | No. of months |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---------------|
| Blackbird       | 4   | 0   | 3   | 3   | 6   | 3   | 1   | 2   |     | 9   | 5   |     |  | 9             |
| Blue tit        | 13  | 7   | 15  | 18  | 5   | 11  | 2   | 7   |     | 18  | 18  |     |  | 10            |
| Bullfinch       | 6   | 2   | 0   | 0   | 0   | 0   | 0   | 3   |     | 0   | 0   |     |  | 3             |
| Buzzard         | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 1   |     | 0   | 0   |     |  | 3             |
| Carrion crow    | 0   | 0   | 0   | 0   | 2   | 1   | 2   | 0   |     | 2   | 0   |     |  | 4             |
| Chaffinch       | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 1   |     | 2   | 0   |     |  | 2             |
| Chiffchaff      | 0   | 0   | 0   | 5   | 0   | 4   | 0   | 0   |     | 0   | 0   |     |  | 2             |
| Coal tit        | 0   | 1   | 0   | 1   | 0   | 0   | 0   | 0   |     | 0   | 0   |     |  | 2             |
| Collared dove   | 0   | 0   | 0   | 2   | 0   | 0   | 0   | 0   |     | 0   | 0   |     |  | 1             |
| Curlew          | 0   | 0   | 0   | 0   | 0   | 0   | 1   | 0   |     | 0   | 0   |     |  | 1             |
| Dunnock         | 0   | 1   | 2   | 2   | 0   | 0   | 0   | 1   |     | 2   | 1   |     |  | 6             |
| Fieldfare       | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   |     | 0   | 10  |     |  | 1             |
| Goldcrest       | 0   | 0   | 2   | 0   | 1   | 0   | 0   | 0   |     | 2   | 0   |     |  | 3             |
| Goldfinch       | 0   | 0   | 2   | 0   | 0   | 1   | 0   | 1   |     | 0   | 0   |     |  | 3             |
| Great tit       | 0   | 5   | 2   | 3   | 0   | 1   | 0   | 0   |     | 2   | 2   |     |  | 6             |
| Greenfinch      | 2   | 0   | 0   | 0   | 0   | 0   | 1   | 0   |     | 0   | 0   |     |  | 2             |
| House martin    | 0   | 0   | 0   | 0   | 0   | 9   | 1   | 0   |     | 0   | 0   |     |  | 2             |
| Jackdaw         | 4   | 3   | 9   | 6   | 0   | 0   | 0   | 0   |     | 0   | 2   |     |  | 5             |
| Long-tailed tit | 0   | 1   | 1   | 0   | 0   | 3   | 0   | 0   |     | 0   | 0   |     |  | 3             |
| Magpie          | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 1   |     | 0   | 0   |     |  | 2             |
| Nuthatch        | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 2   |     | 3   | 0   |     |  | 2             |
| Red kite        | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   |     | 0   | 0   |     |  | 1             |
| Redwing         | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   |     | 0   | 10  |     |  | 1             |
| Robin           | 4   | 1   | 1   | 3   | 1   | 1   | 1   | 1   |     | 5   | 4   |     |  | 10            |
| Song thrush     | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0   |     | 1   | 1   |     |  | 2             |
| Starling        | 0   | 0   | 6   | 0   | 0   | 0   | 0   | 0   |     | 0   | 0   |     |  | 1             |
| Swallow         | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 3   |     | 0   | 0   |     |  | 1             |
| Treecreeper     | 0   | 0   | 0   | 0   | 0   | 1   | 0   | 0   |     | 0   | 0   |     |  | 1             |
| Woodpigeon      | 0   | 0   | 2   | 1   | 0   | 1   | 1   | 0   |     | 2   | 0   |     |  | 5             |
| Wren            | 1   | 1   | 1   | 1   | 0   | 0   | 0   | 1   |     | 2   | 1   |     |  | 7             |
| No. of species  | 7   | 10  | 12  | 12  | 5   | 13  | 8   | 12  |     | 12  | 10  |     |  |               |

### Transect 8 (Low Mill Lane, Old Lane, Ilkley Old Road)

Transect 8 was started in November 2022 by Peter and Anne Britton. In the 2 months 23 species have been recorded including Little egret, Grey heron, Fieldfare and Redwing.

[LINK to Contents Page](#)

## Specific Birds

**Little Egret:** 17 reports. Little egrets were seen at 7 locations. (Note I said the plural Little egrets – 4 were reported upstream from Olicana and 3 near Low Mill). Most of the sightings were of single birds along the River Wharfe either just above Low Mill village or downstream. Other locations included: R. Wharfe near Olicana, Wine Beck, Town Beck (North St) and field by the cricket pitch.

**Grey heron:** 18 reports. Frequently reported from River Wharfe near Olicana but also near Low Mill and Old Lane.

**Kingfisher:** 22 reports along the River Wharfe from Low Park, Olicana, the suspension bridge, down to Low Mill. One report from Town beck by North St.

**Mandarin Duck:** 8 reports from River Wharfe between Low Park and Olicana. Three from the river by Low Mill and Old Lane

**Barn owl:** 16 reported sightings. Pairs of owls were reported twice: In the field near Catsteps and in Newlands Field. There were 9 reports of a single bird: Newlands field (& nearby fields). Sightings were also reported from Long Riddings, the field between Bark Lane & the river, and Addingham Low Moor. Sadly a dead Barn owl was found, in Autumn, on the ground below a nesting box near Cat Steps.

**Little owl:** Two reports from Addingham Low Moor area.

**Tawny owl:** 12 reports either seen (or heard) around Moor Park Close, Low Mill, Bark Lane, Burns Hill, Sycamore Dr, St Pauls Rise.

*Photo of a Tawny owl being released by Gill Battarbee after being caught in the cricket nets*



**Goldcrest:** 35 reports. Reported from 6 gardens around the village, the former First School site and on Transects: 1, 5, 7, and 8.

**Bullfinches:** 45 reports. Reported from 8 gardens around the village, the Daniel Palmer Nature Res, Olicana, and on Transects: 1, 5, 6 and 7

**Kestrel:** 3 Reports. Reported from: Turner Lane, near High Laithe and Cocking lane

**Sparrowhawk** 27 reports. Reported from 6 gardens around the village, and circling over Moor Park Close, Daniel Palmer Nature Res, Marchup Ghyll, Bark Lane.

**Curlew:** 39 reports. Including 17 reports of birds on the ground / foraging. Mainly Moorside, fields near Cocking Lane, Gate Croft but also in a field by the river – upstream from Olicana and also next to Low Mill Lane.

If you are interested in any specific species and where they were seen just contact me and I'll analyse our data.

[LINK to Contents Page](#)

## Appendix 1: List of contributors

(Sincere apologies if I've inadvertently missed your name)

|  |  |
|--|--|
| Chris Acomb<br>Sue Appleyard<br>David & Ann Austin<br>Pete Barton<br>Rick & Gill Battarbee<br>Ian & Shelia Benson<br>Peter and Anne Britton<br>Stephen Cheetham<br>Anne Clarke<br>Val Clayton<br>Andrew Dawrant<br>Mick Dunne<br>Wendy Fontana<br>Jill Garforth<br>Debs Griffith<br>Audrey Hargreaves<br>Pauline Harrowell<br>Janet Hindle<br>Anne Hodgson<br>Margaret Longden<br>Lesley Loughlin<br>Peter Miller<br>Maire O'Donnell<br>Jessica Penrose<br>Jim Robinson<br>James Ross<br>Malcolm Secrett<br>John Sykes<br>Julia Tomlinson<br>Pam Wells |  |
|--|--|

[LINK to Contents Page](#)

## Appendix 2 Species reported in and around Addingham (2022)

| <i>Species (Common name)</i> | <i>Species (Latin name)</i> |
|------------------------------|-----------------------------|
| Bar-headed goose             | Anser indicus               |
| Barn owl                     | Tyto alba                   |
| Bewick's swan                | Cygnus columbianus bewickii |
| Black swan                   | Cygnus atratus              |
| Blackbird                    | Turdus merula               |
| Black-headed gull            | Chroicocephalus ridibundus  |
| Black-tailed godwit          | Limosa limosa               |
| Blackcap                     | Sylvia atricapilla          |
| Blue tit                     | Cyanistes caeruleus         |
| Bullfinch                    | Pyrrhula pyrrhula           |
| Buzzard                      | Buteo buteo                 |
| Canada goose                 | Branta canadensis           |
| Carrion crow                 | Corvus corone               |
| Chaffinch                    | Fringilla coelebs           |
| Chiffchaff                   | Phylloscopus collybita      |
| Coal tit                     | Parus ater                  |
| Collared dove                | Streptopelia decaocto       |
| Common gull                  | Larus canus                 |
| Common raven                 | Corvus corax                |
| Common sandpiper             | Actitis hypoleucos          |
| Coot                         | Fulica atra                 |
| Cormorant                    | Phalacrocorax carbo         |
| Cuckoo                       | Cuculus canorus             |
| Curlew                       | Numenius arquata            |
| Dipper                       | Cinclus cinclus             |
| Dunlin                       | Calidris alpina             |
| Duncock                      | Prunella modularis          |
| Feral Pigeon                 | Columba livia               |
| Fieldfare                    | Turdus pilaris              |
| Goldcrest                    | Regulus regulus             |
| Goldfinch                    | Carduelis carduelis         |
| Goldeneye                    | Bucephala clangula          |
| Goosander                    | Mergus merganser            |
| Great crested grebe          | Podiceps cristatus          |
| Great spotted woodpecker     | Dendrocopos Major           |
| Great tit                    | Parus major                 |
| Greenfinch                   | Carduelis chloris           |
| Grey heron                   | Ardea cinerea               |
| Grey wagtail                 | Motacilla cinerea           |
| Greylag goose                | Anser anser                 |
| Herring gull                 | Larus argentatus            |
| House martin                 | Turdus merula               |
| House sparrow                | Passer domesticus           |
| Jackdaw                      | Corvus monedula             |
| Jay                          | Garrulus glandarius         |
| Kestrel                      | Falco tinnunculus           |



|                          |                         |
|--------------------------|-------------------------|
| Kingfisher               | Alcedo atthis           |
| Lapwing                  | Vanellus vanellus       |
| Lesser black-backed gull | Larus fuscus            |
| Lesser redpoll           | Acanthis cabaret        |
| Linnet                   | Linaria cannabina       |
| Little egret             | Egretta parzetta        |
| Little owl               | Athene noctua           |
| Long-tailed tit          | Aegithalos caudatus     |
| Magpie                   | Pica pica               |
| Mallard                  | Anas platyrhynchos      |
| Mandarin duck            | Aix galericulata        |
| Meadow pipit             | Anthus pratensis        |
| Mistle thrush            | Turdus viscivorus       |
| Moorhen                  | Gallinula chloropus     |
| Mute swan                | Cygnus olor             |
| Nuthatch                 | Sitta europaea          |
| Osprey                   | Pandion haliaetus       |
| Oystercatcher            | Haematopus ostralegus   |
| Pheasant                 | Phasianus colchicus     |
| Pied wagtail             | Motacilla alba          |
| Red kite                 | Milvus milvus           |
| Red-legged Partridge     | Alectoris rufa          |
| Redshank                 | Tringa totanus          |
| Redstart                 | Phoenicurus phoenicurus |
| Redwing                  | Turdus iliacus          |
| Robin                    | Erithacus rubecula      |
| Rook                     | Corvus frugilegus       |
| Sand martin              | Riparia riparia         |
| Shoveler                 | Anas clypeata           |
| Siskin                   | Carduelis spinus        |
| Skylark                  | Alauda arvensis         |
| Song thrush              | Turdus philomelos       |
| Sparrowhawk              | Accipiter nisus         |
| Starling                 | Sturnus vulgaris        |
| Stock dove               | Columba oenas           |
| Swallow                  | Hirundo rustica         |
| Swift                    | Apus apus               |
| Tawny owl                | Strix aluco             |
| Teal                     | Anas crecca             |
| Treecreeper              | Certhia familiaris      |
| Tree sparrow             | Passer Montanus         |
| Tufted duck              | Aythya fuligula         |
| Whooper swan             | Cygnus cygnus           |
| Willow warbler           | Phylloscopus trochilus  |
| Woodpigeon               | Columba palumbus        |
| Wren                     | Troglodytes troglodytes |